



 BROCHURE

P-touch Tapes for Industrial Labeling

Built for tough jobs
and tested to prove it

Product type


- HGe
- TZe
- HSe
- FLe
- SLe



The power of laminated label printing technology

Industrial environments demand labels that can endure harsh conditions and long-term use. Most Brother P-touch® industrial tapes feature a laminated layer applied during the printing process, creating thin yet durable labels built to withstand tough environments. All consumables are preloaded in a unique drop-in cartridge design, so every label prints already laminated and ready to use.

Figure 1: Laminate tapes process




Each cartridge contains:

- ✓ A supply roll of colored polyester face stock with an acrylic adhesive coated on both sides (with silicon liner on bottom side)
- ✓ Supply and take-up rolls for a colored ink ribbon designed to transfer to the polyester lamination
- ✓ A supply roll of matte finish or glossy clear polyester lamination

How it works

During printing, the print head transfers the text or graphics to the underside of the lamination layer using thermal transfer technology. A pressure roller then applies the printed laminate to the face stock and advances the laminated label to the cutter, where it is trimmed to the desired length.

Figure 2: Laminated tape structure



Why laminated labels matter

Using thermal transfer printing to create a nearly permanent bond, laminated labels deliver reliable durability – even for the toughest jobs. With Brother laminated labels, you get labels that are resistant to scratches, scuffs, fading, oil, chemicals, water, and temps up to 225°F or even -80°F.

Built for real industrial work



Datacom & Low Voltage: Label all of your data center connections – including cable wraps, cable flags, wires, fibers, racks, cabinets, bonding and grounding elements, and low-voltage elements.



MRO & Safety: Accurately label equipment, supplies, tools, and parts of your facility with wipeable laminated labels – including accurate barcodes. Track assets and help ensure workplace productivity and safety.



Electrical: Label jobs large and small with printable heat shrink tubing, safety labels, breaker identification labels, and more – many tough enough to withstand extreme conditions.



Security & AV: Print professional ID labels for critical equipment, including security cameras, access control panels, racks, cables, and AV components. Built to resist heat, moisture, abrasion, and chemicals.

Proven durability

Brother laminated labels are engineered to deliver consistent performance in demanding industrial environments. Wipe them clean with water, chemicals, and other cleaning materials. Use them outdoors in all types of weather. And watch them adhere strongly over time. An independent laboratory in Japan evaluated the performance and durability of P-touch labels using the following tests.



Abrasion resistance

After 50 round-trip passes with a 1kg weighted sand eraser, the laminate showed only minor surface scratches. The printed characters underneath remained completely unaffected.



Chemical and water resistance

Labels were submerged in a variety of liquids for two hours. After testing, the tapes remained firmly adhered with minimal damage. Even when exposed to chemical spills, labels can typically be cleaned with a quick wipe.



Adhesive strength

Testing showed that Brother laminated tapes adhere to almost any surface, including stainless steel, glass, PVC, acrylic, polypropylene, and polyester-coated wood. They stand up to hot, cold, and humid environments and can bond even more strongly when heat is applied. Smooth, rough, flat, or curved surfaces are all supported.



Fade resistance

Labels were applied to coated metal plates and placed in accelerated aging chambers to simulate extended exposure to heat, sunlight, and moisture. Most colors showed little visible fading, with only yellow tapes showing noticeable color change over time.



Dielectric strength

In electrical resistance testing, white P-touch tape with black characters maintained insulation up to 8kV and lost resistance at 11kV. Most other color variations demonstrate similar performance.



UL recognized for industrial labeling

Many Brother laminated tapes are UL recognized under the UL 969 standard, Marking and Labeling Systems (ISBN 1-55989-895-X) categories PGJ12 and PGJ18. Brother defines the performance properties of specific tapes by part number, and UL tests that the tapes meet those properties. The results are published on the UL website, where engineers or designers can search for labels with properties that meet their specifications.

Categories PGJ12 and PGJ18 under UL 969 standard are defined as follows:

- Printing Materials: Pre-printed or unprinted systems that have been evaluated for additional printing by end-product manufacturers using thermal transfer or laser printing techniques

UL-recognized Brother tapes include:

- Standard Adhesive HGe tapes
- Extra-Strength Adhesive TZe and HGe tapes
- Flexible ID TZe tapes
- Tamper-Evident TZe tapes

To see the listings, visit the UL website at www.ul.com and search the Online Certifications Directory for "MH21016" under the UL File Number.

The value of **Genuine Brother** tapes

Choosing Brother Genuine tapes helps ensure reliable labeling results:

- ✓ Optimized for compatibility with Brother industrial label printers
- ✓ Strong adhesives built for demanding environments
- ✓ Laminated labels resist UV, chemicals, heat, water, and abrasion
- ✓ Wide range of tapes for industrial applications
- ✓ Save time and money on labeling
- ✓ Support organization and compliance across job sites
- ✓ Backed by Brother support and expertise

P-touch industrial label cassettes

Brother offers preloaded, hassle-free laminated tapes in a drop-in cartridge design for durable and professional quality labels. The cassettes come in a variety of sizes, colors, and adhesives to meet numerous applications and environments.

Comparing TZe and HGe laminated tapes

What they have in common:

- Laminated labeling technology
- Identical durability and performance
- UL certified

How they are different:

- TZe tapes – packaged individually for in-store purchases
- HGe tapes – packaged in cost-efficient packs of five and not available for individual sale

TZe
TAPE 1 Cassette
per package



HGe
TAPE 5 Cassettes
per package



P-touch TZe Tapes



Standard Adhesive Tapes



Brother Standard Adhesive tapes are ideal for standard applications on smooth surfaces and come in a variety of colors.

| Width | 6mm (~1/4 in) | 9mm (~3/8 in) | 12mm (~1/2 in) | 18mm (~3/4 in) | 24mm (~1 in) | 36mm (~1-1/2 in) |
|-----------------|---------------|---------------|----------------|----------------|--------------|------------------|
| Black on White | TZe211G | TZe221G | TZe231G | TZe241G | TZe251G | TZe261G |
| Black on Clear | TZe111G | TZe121G | TZe131G | TZe141G | TZe151G | TZe161G |
| Black on Red | | TZe421G | TZe431G | TZe441G | TZe451G | |
| Black on Yellow | | | TZe631G | TZe641G | TZe651G | TZe661G |
| Black on Green | | | TZe731G | TZe741G | TZe751G | |
| Black on Blue | | | TZe531G | TZe541G | TZe551G | |
| Black on Orange | | | TZeB31G | TZeB41G | TZeB51G | |
| White on Black | TZe315G | TZe325G | TZe335G | TZe345G | TZe355G | |
| White on Clear | | | TZe135G | TZe145G | | |
| White on Blue | | | TZe535G | TZe545G | TZe555G | |
| Red on White | | | TZe232G | TZe242G | TZe252G | |
| Blue on White | | | TZe233G | TZe243G | | |
| Gold on Black | | | TZe334G | TZe344G | TZe354G | |



Standard Adhesive Matte Finish Tapes



Brother Standard Adhesive Matte Finish tapes are ideal for everyday applications on smooth surfaces, offering a low-glare finish.

| Width | 6mm (~1/4 in) | 9mm (~3/8 in) | 12mm (~1/2 in) | 18mm (~3/4 in) | 24mm (~1 in) | 36mm (~1-1/2 in) |
|----------------------|---------------|---------------|----------------|----------------|--------------|------------------|
| Black on Matte White | | | | | TZeM251G | |
| Black on Matte Clear | | | TZeM31G | | TZeM51G | |
| White on Matte Black | | | | | TZeM355G | |
| Black on Matte Gray | | | TZeML35G | | | |

P-touch TZe Tapes



Extra-Strength Adhesive Tapes



Extra-Strength Adhesive tapes are primarily designed for plastic and textured surfaces. A thicker and softer adhesive layer flows down into the texture of uneven materials or around plastic fibers to increase the surface area contact.

| Width | 6mm (~1/4 in) | 9mm (~3/8 in) | 12mm (~1/2 in) | 18mm (~3/4 in) | 24mm (~1 in) | 36mm (~1-1/2 in) |
|-----------------------|---------------|---------------|----------------|----------------|--------------|------------------|
| Black on White | TZeS211G | TZeS221G | TZeS231G | TZeS241G | TZeS251G | TZeS261G |
| Black on Clear | | TZeS121G | TZeS131G | TZeS141G | TZeS151G | |
| White on Clear | | | TZeS135G | | | |
| Black on Yellow | | TZeS621G | TZeS631G | TZeS641G | TZeS651G | TZeS661G |
| Black on Matte Silver | | | | TZeS941G | TZeS951G | TZeS961G |



Flexible ID Tapes



Flexible ID tapes come with a special, harder adhesive that is designed to reliably stick to itself for cable wraps and flagging applications without the risk of peeling.

| Width | 6mm (~1/4 in) | 9mm (~3/8 in) | 12mm (~1/2 in) | 18mm (~3/4 in) | 24mm (~1 in) | 36mm (~1-1/2 in) |
|-----------------|---------------|---------------|----------------|----------------|--------------|------------------|
| Black on White | | TZeFX221G | TZeFX231G | TZeFX241G | TZeFX251G | TZeFX261G |
| Black on Yellow | | | TZeFX631G | | TZeFX651G | |



Self-Laminating Tapes



Self-Laminating tapes provide a protective layer over the printed area for cable marking. This cost-saving solution uses continuous tape construction to create a broad range of wraparound label sizes from a single cartridge, including labels up to 2 inches wide and beyond.

| Width | 24mm (~1 in) | 36mm (~1-1/2 in) |
|-----------------|--------------|------------------|
| Black on White | TZeSL251G | TZeSL261G |
| Black on Yellow | TZeSL651G | TZeSL661G |



Tamper-Evident Tapes



Tamper-Evident tapes are black-on-white printable laminated labels that come with a security feature that reveals a crosshatched pattern to indicate interference.

| Width | 18mm (~3/4 in) |
|----------------|----------------|
| Black on White | TZeSE4G |



Super Narrow, Non-Laminated Tape



Designed to label tight, narrow spaces, this non-laminated tape offers a clean, precise fit for detailed applications.

| Width | 3.5mm (~1/8 in) |
|----------------|-----------------|
| Black on White | TZeN201G |

P-touch TZe Tapes



Acid-Free Tapes



Acid-Free tapes offer the same adhesive strength as Standard Adhesive tapes, but with a special adhesive formula designed to protect surfaces from damage.

| Width | 12mm (~1/2 in) |
|----------------|----------------|
| Black on White | TZeAF231G |
| Black on Clear | TZeAF131G |



Fabric Iron-On Tape



This durable tape bonds securely with heat for a flexible, long-lasting label that stands up to washing and wear on clothing and fabric items.

| Width | 12mm (~1/2 in) |
|---------------|----------------|
| Blue on White | TZeFA3G |

P-touch HGe Tapes



Standard Adhesive Tapes



Identical in design to their equivalent Standard Adhesive TZe tapes, these Standard Adhesive HGe tapes are ideal for standard applications on smooth surfaces. Unlike individually packaged TZe tapes, these HGe tapes come in a bulk pack of five.

| Width | 6mm (~1/4 in) | 9mm (~3/8 in) | 12mm (~1/2 in) | 18mm (~3/4 in) | 24mm (~1 in) | 36mm (~1-1/2 in) |
|-----------------|---------------|---------------|----------------|----------------|--------------|------------------|
| Black on White | | HGe2215PK | HGe2315PK | HGe2415PK | HGe2515PK | |
| Black on Yellow | | | | HGe6415PK | HGe6515PK | |



Extra-Strength Adhesive Tapes



Identical in design to their equivalent Extra-Strength TZe tapes, these Extra-Strength Adhesive HGe tapes are primarily designed for plastic and textured surfaces. A thicker and softer adhesive layer flows down into the texture of uneven materials or around plastic fibers to increase the surface area contact. Unlike individually packaged TZe tapes, these HGe tapes come in a bulk pack of five.

| Width | 6mm (~1/4 in) | 9mm (~3/8 in) | 12mm (~1/2 in) | 18mm (~3/4 in) | 24mm (~1 in) | 36mm (~1-1/2 in) |
|-----------------------|---------------|---------------|----------------|----------------|--------------|------------------|
| Black on White | HGeS2115PK | HGeS2215PK | HGeS2315PK | HGeS2415PK | HGeS2515PK | HGeS2615PK |
| Black on Clear | | HGeS1215PK | HGeS1315PK | HGeS1415PK | HGeS1515PK | |
| Black on Yellow | | HGeS6215PK | HGeS6315PK | HGeS6415PK | HGeS6515PK | HGeS6615PK |
| Black on Matte Silver | | | | HGeS9415PK | HGeS9515PK | HGeS9615PK |

P-touch HSe and FLe Labels



Heat Shrink Tubing (HSe)



Brother 3:1 printable Heat Shrink Tubing comes in multiple diameter widths and shrinks down to a third of its size to fit a range of cable and wire sizes securely.

| Width | 5.2mm (~13/64 in) AWG 16-24 | 9mm (~3/8 in) AWG 10-22 | 11.2mm (~7/16 in) AWG 8-18 | 21mm (~13/16) AWG 0-10 | 31mm (~1-7/32 in) AWG 0000-6 |
|-----------------|--------------------------------|----------------------------|-------------------------------|---------------------------|---------------------------------|
| Black on White | HSe211EG | HSe221EG | HSe231EG | HSe251EG | HSe261EG |
| Black on Yellow | HSe611EG | HSe621EG | HSe631EG | HSe651EG | HSe661EG |



Die-Cut Flag Non-Laminated Labels (FLe)



Brother FLe options are ideal for small-diameter fiber and copper cable identification in the network industry. With a special pre-cut shape, they are easier to apply than traditional flag labels, and a wide printable area allows information or barcodes to be clearly read.

| Width | 45mm x 21mm (~3/4 in x ~53/64 in) | | | | |
|-----------------|-----------------------------------|--|--|--|--|
| Black on White | FLe2511G | | | | |
| Black on Yellow | FLe6511G | | | | |
| Black on Green | FLe7511G | | | | |

P-touch STe Tape



Stencil Tape (STe)



This non-adhesive tape is used as a mask to permanently mark (or etch) conductive surfaces using electrolytic marking chemicals and equipment. It's ideal for metallic and glass surfaces, powder-coated racks and cabinets, and permanent marking for smooth surfaces.

| Width | 18mm (~3/4 in) | 24mm (~1 in) |
|-------|----------------|--------------|
| White | STe141 | STe151 |

Choose the right tape for the right job

| | Standard Laminated Tape | Extra-Strength Laminated Tape | Flexible ID Laminated Tape | Laminated Security Tape | HSe Heat Shrink Tube |
|--------------------------|-------------------------|-------------------------------|----------------------------|-------------------------|----------------------|
| Surface Types | | | | | |
| Flat Surface | ✓ | ✓ | ✓ | ✓ | ✗ |
| Curved Surface | △ | △ | ✓ | △ | ✗ |
| Textured Surface | ✗ | ✓ | ✗ | ✗ | ✗ |
| Cable Flag | ✗ | ✗ | ✓ | ✗ | ✗ |
| Cable Wrap | ✗ | ✗ | ✓ | ✗ | ✗ |
| Application Types | | | | | |
| Cable / Wires | ✗ | ✗ | ✓ | ✗ | ✓ |
| Faceplates | ✓ | ✓ | ✓ | ✓ | ✗ |
| Patch Panels (Smooth) | ✓ | ✓ | ✓ | ✓ | ✗ |
| Patch Panels (Textured) | ✗ | ✓ | ✗ | ✗ | ✗ |

Tape compatibility by printer

| SKU | Width | Description | Handheld Printers | | | | Portable Printers | | Desktop Printers | | |
|--|----------------|----------------------|------------------------------------|---------------------------------------|--------------------------------------|-------------------------------------|------------------------------------|-----------------------------------|-------------------------------|---------------------------------|----------------------------------|
| | | | PT-E110 Entry-level Handheld | PTE-310BTVP Bluetooth® + USB-C® | PT-E510VP Dual Cutter + USB-C® | PT-E560BTVP BT® + Dual Cutter | PT-E720BT BT® + Auto- Cutter | PT-E920BT BT® + Dual Cutter | PT-P900C Hi-res Desktop | PT-P900WC Hi-res + Wi-Fi® | PT-P950NW Wi-Fi® + Network |
| STANDARD ADHESIVE NON-LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZeN201G | ~1/8in (3.5mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| SINGLE PACK - STANDARD ADHESIVE LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZe211G | ~1/4in (6mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe221G | ~3/8in (9mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe231G | ~1/2in (12mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe241G | ~3/4in (18mm) | Black on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe251G | ~1in (24mm) | Black on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe261G | ~1.5in (36mm) | Black on White tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| TZe111G | ~1/4in (6mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe121G | ~3/8in (9mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe131G | ~1/2in (12mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe141G | ~3/4in (18mm) | Black on Clear tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe151G | ~1in (24mm) | Black on Clear tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe161G | ~1.5in (36mm) | Black on Clear tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| TZe421G | ~3/8in (9mm) | Black on Red tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe431G | ~1/2in (12mm) | Black on Red tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe441G | ~3/4in (18mm) | Black on Red tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe451G | ~1in (24mm) | Black on Red tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe531G | ~1/2in (12mm) | Black on Blue tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe541G | ~3/4in (18mm) | Black on Blue tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe551G | ~1in (24mm) | Black on Blue tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe631G | ~1/2in (12mm) | Black on Yellow tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe641G | ~3/4in (18mm) | Black on Yellow tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe651G | ~1in (24mm) | Black on Yellow tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe661G | ~1.5in (36mm) | Black on Yellow tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| TZe731G | ~1/2in (12mm) | Black on Green tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe741G | ~3/4in (18mm) | Black on Green tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe751G | ~1in (24mm) | Black on Green tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe233G | ~1/2in (12mm) | Blue on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe243G | ~3/4in (18mm) | Blue on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe232G | ~1/2in (12mm) | Red on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe242G | ~3/4in (18mm) | Red on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe252G | ~1in (24mm) | Red on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe145G | ~3/4in (18mm) | White on Clear tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe315G | ~1/4in (6mm) | White on Black tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe325G | ~3/8in (9mm) | White on Black tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe335G | ~1/2in (12mm) | White on Black tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe345G | ~3/4in (18mm) | White on Black tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe355G | ~1in (24mm) | White on Black tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe535G | ~1/2in (12mm) | White on Blue tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe545G | ~3/4in (18mm) | White on Blue tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe334G | ~1/2in (12mm) | Gold on Black tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe344G | ~3/4in (18mm) | Gold on Black tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZe354G | ~1in (24mm) | Gold on Black tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

| SKU | Width | Description | Handheld Printers | | | | Portable Printers | | Desktop Printers | | |
|--|---------------|-------------------------|----------------------|---------------------|----------------------|-------------------|-------------------|-------------------|------------------|-----------------|------------------|
| | | | PT-E110 | PTE-310BTVP | PT-E510VP | PT-E560BTVP | PT-E720BT | PT-E920BT | PT-P900C | PT-P900WC | PT-P950NW |
| | | | Entry-level Handheld | Bluetooth® + USB-C® | Dual Cutter + USB-C® | BT® + Dual Cutter | BT® + Auto-Cutter | BT® + Dual Cutter | Hi-res Desktop | Hi-res + Wi-Fi® | Wi-Fi® + Network |
| BULK PACK - STANDARD ADHESIVE LAMINATED – 26.2ft (8m) (5PK) | | | | | | | | | | | |
| HGe2215PK | ~3/8in (9mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| HGe2315PK | ~1/2in (12mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| HGe2415PK | ~3/4in (18mm) | Black on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| HGe2515PK | ~1in (24mm) | Black on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| HGe6415PK | ~3/4in (18mm) | Black on Yellow tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| HGe6515PK | ~1in (24mm) | Black on Yellow tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| FLUORESCENT STANDARD ADHESIVE LAMINATED – 16.4ft (5m) | | | | | | | | | | | |
| TZeB31G | ~1/2in (12mm) | Black on Orange tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeB41G | ~3/4in (18mm) | Black on Orange tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeB51G | ~1in (24mm) | Black on Orange tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| MATTE STANDARD ADHESIVE LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZeM251G | ~1in (24mm) | Black on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeM31G | ~1/2in (12mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeM51G | ~1in (24mm) | Black on Clear tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeM355G | ~1in (24mm) | White on Black tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeML35G | ~1/2in (12mm) | White on Gray tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| SECURITY TAMPER-EVIDENT STANDARD ADHESIVE LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZeSE4G | ~3/4in (18mm) | Black on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| ACID-FREE LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZeAF231G | ~1/2in (12mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeAF131G | ~1/2in (12mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| SINGLE PACK - EXTRA-STRENGTH ADHESIVE LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZeS211G | ~1/4in (6mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS221G | ~3/8in (9mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS231G | ~1/2in (12mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS241G | ~3/4in (18mm) | Black on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS251G | ~1in (24mm) | Black on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS261G | ~1.5in (36mm) | Black on White tape | – | – | – | – | – | ✓ | ✓ | ✓ | |
| TZeS121G | ~3/8in (9mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS131G | ~1/2in (12mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS141G | ~3/4in (18mm) | Black on Clear tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS151G | ~1in (24mm) | Black on Clear tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS621G | ~3/8in (9mm) | Black on Yellow tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS631G | ~1/2in (12mm) | Black on Yellow tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS641G | ~3/4in (18mm) | Black on Yellow tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS651G | ~1in (24mm) | Black on Yellow tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS661G | ~1.5in (36mm) | Black on Yellow tape | – | – | – | – | – | ✓ | ✓ | ✓ | |
| TZeS941G | ~3/4in (18mm) | Black on Silver (matte) | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS951G | ~1in (24mm) | Black on Silver (matte) | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | |
| TZeS961G | ~1.5in (36mm) | Black on Silver (matte) | – | – | – | – | – | ✓ | ✓ | ✓ | |

| SKU | Width | Description | Handheld Printers | | | | Portable Printers | | Desktop Printers | | |
|--|---------------|-------------------------|----------------------|---------------------|----------------------|-------------------|-------------------|-------------------|------------------|-----------------|------------------|
| | | | PT-E110 | PTE-310BTVP | PT-E510VP | PT-E560BTVP | PT-E720BT | PT-E920BT | PT-P900C | PT-P900WC | PT-P950NW |
| | | | Entry-level Handheld | Bluetooth® + USB-C® | Dual Cutter + USB-C® | BT® + Dual Cutter | BT® + Auto-Cutter | BT® + Dual Cutter | Hi-res Desktop | Hi-res + Wi-Fi® | Wi-Fi® + Network |
| BULK PACK - EXTRA-STRENGTH ADHESIVE LAMINATED – 26.2ft (8m) (5PK) | | | | | | | | | | | |
| HGeS2115PK | ~1/4in (6mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS2215PK | ~3/8in (9mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS2315PK | ~1/2in (12mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS2415PK | ~3/4in (18mm) | Black on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS2515PK | ~1in (24mm) | Black on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS2615PK | ~1.5in (36mm) | Black on White tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| HGeS1215PK | ~3/8in (9mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS1315PK | ~1/2in (12mm) | Black on Clear tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS1415PK | ~3/4in (18mm) | Black on Clear tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS1515PK | ~1in (24mm) | Black on Clear tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS6215PK | ~3/8in (9mm) | Black on Yellow tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS6315PK | ~1/2in (12mm) | Black on Yellow tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS6415PK | ~3/4in (18mm) | Black on Yellow tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS6515PK | ~1in (24mm) | Black on Yellow tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS6615PK | ~1.5in (36mm) | Black on Yellow tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| HGeS9415PK | ~3/4in (18mm) | Black on Silver tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS9515PK | ~1in (24mm) | Black on Silver tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| HGeS9615PK | ~1.5in (36mm) | Black on Silver tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| FLEXIBLE ID LAMINATED – 26.2ft (8m) | | | | | | | | | | | |
| TZeFX221G | ~3/8in (9mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeFX231G | ~1/2in (12mm) | Black on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeFX241G | ~3/4in (18mm) | Black on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeFX251G | ~1in (24mm) | Black on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeFX261G | ~1.5in (36mm) | Black on White tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| TZeFX631G | ~1/2in (12mm) | Black on Yellow tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeFX651G | ~1in (24mm) | Black on Yellow tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| SELF-LAMINATING – 26.2ft (8m) | | | | | | | | | | | |
| TZeSL251G | ~1in (24mm) | Black/White/Clear tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeSL261G | ~1.5in (36mm) | Black/White/Clear tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| TZeSL651G | ~1in (24mm) | Black/Yellow/Clear tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| TZeSL661G | ~1.5in (36mm) | Black/Yellow/Clear tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |

| SKU | Width | Description | Handheld Printers | | | | Portable Printers | | Desktop Printers | | |
|--|-----------------------|-----------------------|----------------------|---------------------|----------------------|-------------------|-------------------|-------------------|------------------|-----------------|------------------|
| | | | PT-E110 | PTE-310BTVP | PT-E510VP | PT-E560BTVP | PT-E720BT | PT-E920BT | PT-P900C | PT-P900WC | PT-P950NW |
| | | | Entry-level Handheld | Bluetooth® + USB-C® | Dual Cutter + USB-C® | BT® + Dual Cutter | BT® + Auto-Cutter | BT® + Dual Cutter | Hi-res Desktop | Hi-res + Wi-Fi® | Wi-Fi® + Network |
| FLAG NON-LAMINATED – 72 LABELS | | | | | | | | | | | |
| FLe2511G | ~1in (24mm) | Black on White tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| FLe6511G | ~1in (24mm) | Black on Yellow tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| FLe7511G | ~1in (24mm) | Black on Green tape | – | – | – | – | – | ✓ | ✓ | ✓ | ✓ |
| 3:1 HEAT SHRINK TUBE – 4.9ft (1.5m) | | | | | | | | | | | |
| HSe211EG | ~13/64in (AWG 16-24) | Black on White tape | – | ✓ | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe221EG | ~3/8in (AWG 10-22) | Black on White tape | – | ✓ | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe231EG | ~7/16in (AWG 8-18) | Black on White tape | – | ✓ | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe251EG | ~13/16in (AWG 0-10) | Black on White tape | – | – | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe261EG | ~1-7/32in (AWG0000-6) | Black on White tape | – | – | – | – | – | – | ✓ | ✓ | ✓ |
| HSe611EG | ~13/64in (AWG 16-24) | Black on Yellow tape | – | ✓ | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe621EG | ~3/8in (AWG 10-22) | Black on Yellow tape | – | ✓ | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe631EG | ~7/16in (AWG 8-18) | Black on Yellow tape | – | ✓ | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe651EG | ~13/16in (AWG 0-10) | Black on Yellow tape | – | – | ✓ | ✓ | – | – | ✓ | ✓ | ✓ |
| HSe661EG | ~1-7/32in (AWG0000-6) | Black on Yellow tape | – | – | – | – | – | – | ✓ | ✓ | ✓ |
| FABRIC IRON-ON – 9.8ft (3m) | | | | | | | | | | | |
| TZeFA3G | ~1/2in (12mm) | Blue on White tape | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| ETCHING / STENCIL NON-ADHESIVE / NON-LAMINATED – 9.8ft (3m) | | | | | | | | | | | |
| STe141 | ~3/4in (18mm) | Stencil on White tape | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |
| STe151 | ~1in (24mm) | Stencil on White tape | – | – | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ | ✓ |

brother
at your side

Get support or explore the options

Contact one of our experts for help finding the right tape for the job,
or visit our industrial tapes page to see what's available.



[Contact an expert](#)



[Visit the site](#)

Images are for illustrative purposes only. Actual output (such as font and margins) may vary. All specifications subject to change without notice. Brother is a trademark or registered trademark of Brother Industries, Ltd, in the United States. All other trademarks and registered trademarks are the properties of their respective companies.

© 2026 Brother International Corporation. 200 Crossing Blvd., Bridgewater, NJ 08807